

MEMO. CHIEF SURVEYOR

Survey was executed between 6th & 24th,


January 2020.

RECORD NO.

Instruments used were: a Topcon GTS 230 Total Station, its accessories & 30 metre Offset Tape. Reference was made to Plan L.1083B from which grid co-ordinates were adopted.

DCA approval No. 554/19.

Survey currently forms Parcel 0820B 352.



TRAVERSE

TIGATURDE		
LINE	GRID BEARING	DISTANCE
LOT 1	o , "	metres feet
45A - 70B	152 20 10	30.90 101.38
70B - 6C	243 04 35	32.56 106.82
6C - 5	332 16 35	24.10 79.07
5 - 4	349 54 37	4.90 16.08
4 - 3	26 01 15	3.63 11.93
3 - 45A	63 14 30	28.18 92.47
LOT 2		
70B - 17Y	152 20 10	24.69 81.00
17Y - 17X	242 45 55	38.66 126.82
17X - 118	332 18 38	24.90 81.69
118 - 6C	63 04 35	6.11 20.05
6C - 70B	63 04 35	32.56 106.82
Access	198.8 S.m.	2,140 S.f.
3 - 4	206 01 15	3.63 11.93
4 - 5	169 54 37	4.90 16.08
5 - 6C	152 16 35	24.10 79.07
6C - 118	243 04 35	6.11 20.05
118 - 45	332 18 38	31.01 101.74
45 – 3	63 13 50	10.50 34.45

- Traverse station, iron in concrete found
- O Traverse station, iron in concrete put

CASTRIES ST. LUCIA

DRAWING No:

No: L. 15

BENNIN

SURVEYED By

DRAWN

Lic. Land Surveyor

DATE: February 20th, 2020

Plan Showing

survey of two (2) lots at MOUNT LE BLANC

Quarter of LABORIE

made at the instance of

PHILLIP ANDIE Jn.PANEL